

TRICHEM WALES STAIN PRO 2 DESTAINER

Page: 1

Compilation date: 03/06/2015

Revision No: 1

### Section 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

### Product name: TRICHEM WALES STAIN PRO 2 DESTAINER

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: Professional laundry product - destainer

### 1.3. Details of the supplier of the safety data sheet

Company name: Trichem Wales Ltd

Unit 5, Gilchrist Thomas Ind Est Blaenavon Pontypool Gwent NP4 9RL United Kingdom Tel: 01495 792211 Fax: 01495 792608

Email: orders@trichemwales.co.uk

### 1.4. Emergency telephone number

Emergency tel: 01495 792211

### Section 2: Hazards identification

### 2.1. Classification of the substance or mixture

Classification under CLP: Acute Tox. 4: H302; Ox. Sol. 3: H272; Eye Irrit. 2: H319; Skin Irrit. 2: H315

Most important adverse effects: Harmful if swallowed. Causes skin irritation. Causes serious eye irritation. May intensify fire; oxidiser.

### 2.2. Label elements

### Label elements:

Hazard statements:	H302: Harmful if swallowed.
	H315: Causes skin irritation.
	H319: Causes serious eye irritation.
	H272: May intensify fire; oxidiser.
Signal words:	Warning
Hazard pictograms:	GHS07: Exclamation mark
	GHS03: Flame over circle



# TRICHEM WALES STAIN PRO 2 DESTAINER

	Precautionary statements:	P280: Wear protective gloves/clothing and eye/face protection.
		P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove
		contact lenses, if present and easy to do. Continue rinsing.
		P302+352: IF ON SKIN: Wash with plenty of soap and water.
		P301+330+331: IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
		P310: Immediately call a POISON CENTRE or doctor.
		P220: Keep away from combustible materials.
		P233: Keep container tightly closed.
	Haz. ingredients (label):	DISODIUM CARBONATE, COMPOUND WITH HYDROGEN PEROXIDE (2:3)
2	3 Other hazarde	

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

### Section 3: Composition/information on ingredients

3.2. Mixtures

### Hazardous ingredients:

DISODIUM CARBONATE, COMPOUND WITH HYDROGEN PEROXIDE (2:3)

EINECS	CAS	PBT / WEL	CLP Classification	Percent
239-707-6	15630-89-4	-	Ox. Sol. 3: H272; Acute Tox. 4: H302; Skin Irrit. 2: H315; Eye Irrit. 2: H319	70-90%
DISODIUM ME	TASILICATE			
229-912-9	6834-92-0	-	Skin Corr. 1B: H314; STOT SE 3: H335	1-10%

Section 4: First aid measures

### 4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes. Consult a doctor.

Ingestion: Wash out mouth with water. Consult a doctor.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.

### 4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

# TRICHEM WALES STAIN PRO 2 DESTAINER

### 4.3. Indication of any immediate medical attention and special treatment needed

**Immediate / special treatment:** Eye bathing equipment should be available on the premises.

### Section 5: Fire-fighting measures

#### 5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used.

### 5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

### 5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

### Section 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. If outside do not approach from downwind. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Do not create dust.

#### 6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers.

### 6.3. Methods and material for containment and cleaning up

**Clean-up procedures:** Transfer to a closable, labelled salvage container for disposal by an appropriate method.

#### 6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

### Section 7: Handling and storage

#### 7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.

Do not handle in a confined space. Avoid the formation or spread of dust in the air.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in cool, well ventilated area. Keep container tightly closed.

### 7.3. Specific end use(s)

Specific end use(s): No data available.

### TRICHEM WALES STAIN PRO 2 DESTAINER

Page: 4

# Section 8: Exposure controls/personal protection

### 8.1. Control parameters

Workplace exposure limits: No data available.

### **DNEL/PNEC** Values

### DNEL / PNEC No data available.

### 8.2. Exposure controls

Engineering measures:	Ensure there is sufficient ventilation of the area.
Respiratory protection:	Self-contained breathing apparatus must be available in case of emergency. Respiratory
	protective device with particle filter.
Hand protection:	Protective gloves.
Eye protection:	Safety glasses. Ensure eye bath is to hand.
Skin protection:	Protective clothing.

### Section 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

State:PowderColour:WhiteOdour:Barely perceptible odourSolubility in water:SolublepH:10.7 (2% soln)

# 9.2. Other information

Other information: No data available.

### Section 10: Stability and reactivity

### 10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

### 10.2. Chemical stability

Chemical stability: Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

### 10.4. Conditions to avoid

### Conditions to avoid: Heat.

### 10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

# TRICHEM WALES STAIN PRO 2 DESTAINER

**Page:** 5

### 10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

### Section 11: Toxicological information

### 11.1. Information on toxicological effects

### Hazardous ingredients:

### **DISODIUM METASILICATE**

ORL	MUS	LD50	770	mg/kg
ORL	RAT	LD50	1153	mg/kg

### Relevant hazards for substance:

Hazard	Route	Basis
Acute toxicity (ac. tox. 4)	ING	Hazardous: calculated
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated

Symptoms / routes of exposure

Skin contact: There may be irritation and redness at the site of contact.
Eye contact: There may be irritation and redness. The eyes may water profusely.
Ingestion: There may be soreness and redness of the mouth and throat.
Inhalation: There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

# Section 12: Ecological information

12.1. Toxicity

Ecotoxicity values: No data available.

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

### 12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

### 12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

# TRICHEM WALES STAIN PRO 2 DESTAINER

Section 13: Disposal conside	rations
13.1. Waste treatment method	
Diana and a manatiana.	
Disposal operations:	Transfer to a suitable container and arrange for collection by specialised disposal
NB	company. The user's attention is drawn to the possible existence of regional or national
ND.	regulations regarding disposal.
Negling 44. Then executing and	
Section 14: Transport inform	
14.1. UN number	
UN number:	UN1479
14.2. UN proper shipping nam	le
Shipping name:	OXIDIZING SOLID, N.O.S.
	(DISODIUM CARBONATE, COMPOUND WITH HYDROGEN PEROXIDE (2:3))
14.3. Transport hazard class(	es)
Transport class:	5.1
14.4. Packing group	
Packing group:	11
14.5. Environmental hazards	
Environmentally hazardous:	No Marine pollutant: No
14.6. Special precautions for	user
Special precautions:	No special precautions.
Tunnel code:	
Transport category:	3
Section 15: Regulatory inform	nation
15.1. Safety, health and enviro	onmental regulations/legislation specific for the substance or mixture
Specific regulations:	Not applicable.
15.2. Chemical Safety Assess	ment
Section 16: Other information	1
Other information	
	This safety data sheet is prepared in accordance with Commission Regulation (ELI) No.
	This safety data sheet is prepared in accordance with Commission Regulation (EU) No
	453/2010.
Other information:	

# TRICHEM WALES STAIN PRO 2 DESTAINER

Page: 7

H314: Causes severe skin burns and eye damage.

H315: Causes skin irritation.

H319: Causes serious eye irritation.

H335: May cause respiratory irritation.

# Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.